



guardians of drinking water quality

## DRINKING WATER INSPECTORATE

Area 5B, Nobel House  
17 Smith Square  
London SW1P 3JR

Enquiries: 030 0068 6400

E-mail: [Simon.Benton@defra.gov.uk](mailto:Simon.Benton@defra.gov.uk)  
DWI Website: <http://www.dwi.gov.uk>

Mr Ceri Jones  
Assets and Assurance Director  
Northumbrian Water Ltd  
Boldon House  
Wheatlands Way  
Pity Me  
Durham  
DH1 5FA

PERIODIC REVIEW 2019: Northumbrian Water  
Mosswood Water Treatment Works  
DWI Scheme reference: NNE-2019-00002

22 August 2019

Dear Mr Jones,

### **PR19 SCHEME NOTIFICATION LETTER: REGULATION 28(4) OF THE WATER SUPPLY (WATER QUALITY) REGULATIONS 2016 as amended**

- 1 The purpose of this letter is to inform you of the action which I am minded to take under regulation 28(4) of the Water Supply (Water Quality) Regulations 2016 as amended further to receipt of a report as part of the Periodic review planning process (PR19) from the Company under regulation 28(1) stating that there is a significant risk of supplying water that that could constitute a potential danger to human health.
- 2 The company submitted a report to the Inspectorate on the 11 March 2019 as part of the periodic review process. The company highlighted risks associated with the risk of Raw Water deterioration, that has been identified as a potential danger to human health from the water supplied from Mosswood WTW. The Inspectorate subsequently supported the proposed scheme and confirmed this in writing on the 10 July 2019

#### **Enforcement Procedure**

- 3 The Secretary of State will serve a notice under regulation 28(4) of the Water Supply (Water Quality) Regulations 2016 (as amended) specifying requirements that the Company must satisfy. Failure by the Company to comply with such notice may result in enforcement proceedings under section 18 of the Water Industry Act 1991.
- 4 I should be grateful to receive, by e-mail, a completed proforma (a copy of which is attached) not later than one month from date of this letter. Companies should send proformas back to the Inspectorate as they are completed.

- 5 In the company return of the draft instrument I would be grateful if the company please ensures that all caveats as detailed in your decision letter provided by the Inspectorate are adequately addressed. Failure to include measures within the draft documents may result in delays to the final instrument being served.
- 6 Please ensure that the information requested above is sent to [DWI\\_Improvement\\_Programmes@defra.gov.uk](mailto:DWI_Improvement_Programmes@defra.gov.uk) and copied to your Company Liaison Inspector Sarah Frame.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'S Benton', with a long horizontal flourish extending to the right.

Simon Benton  
**Principal Inspector, Enforcement**